



USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## PREMIUM WPC DOORS



DOOR ONE



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive 6 Designs | High density material  
Perfect in screw holding | Custom sizes  
Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals





USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## PREMIUM WPC DOORS



DOOR TWO



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive 6 Designs | High density material  
Perfect in screw holding | Custom sizes  
Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals





USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## PREMIUM WPC DOORS



**DOOR THREE**

Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive 6 Designs | High density material  
Perfect in screw holding | Custom sizes  
Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals





USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## PREMIUM WPC DOORS



DOOR FOUR



Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive 6 Designs | High density material  
Perfect in screw holding | Custom sizes  
Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals





USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## PREMIUM WPC DOORS



DOOR FIVE

Standard Thickness : 32 mm  
Width range (inch): 24, 26, 28, 30, 32, 34, 36, 48, 54, 60  
Length range (inch): 72, 75, 78, 81, 84, 87, 90, 96

Exclusive 6 Designs | High density material  
Perfect in screw holding | Custom sizes  
Polishable & Paintable surface  
Suits in High end Applications | Withstands chemicals





USE WPC.  
Save trees. Save earth.

# HARDYPLAST®

WPC - replacing wood, plywood.

## PREMIUM WPC DOORS



Standard Thickness:

32 mm

Width range (inch):

24, 26, 28, 30, 32, 34, 36, 48, 54, 60

Length range (inch):

72, 75, 78, 81, 84, 87, 90, 96

- Exclusive 6 Designs
- High density material
- Perfect in screw holding
- Custom sizes
- Polishable & Paintable surface
- Suits in High end Applications
- Withstands chemicals

DOOR SIX

WPC  
BOARDS

WPC  
DOOR FRAMES

WPC  
DOORS

WPC  
DECKING

PVC HPL  
GLOSS MATT

MOLDED  
DOOR SKINS



Water  
Proof



Termite  
Proof



Borer  
Proof



Fire  
Retardant



Recyclable



visit us at  
**WPC CENTRE®**  
wpc materials & projects

a product brand of  
**HARDY SMITH®**  
wood plastic composite technologies

Line 1: +91.846 005 2427  
Line 2: +91.846 000 2427  
E: info@wpc-centre.com  
w: www.wpc-centre.com